Earthing clamp EZ

Reference 4571310



Activity	Cable support systems
Product family	Mesh trays
Brand	Stago
Range	Performa

Base

Activity	Cable support systems
Product family	Mesh trays
Brand	Stago
Range	Performa
GTIN	8428031039400

Commercial and Web

Short description	Earthing clamp EZ
Medium description	Performa - earthing clamp - brass electrolytic nickel coating
Material	Steel
Corrosion class	C1

This information is meant as an indication and cannot be used to ensure fitness with any solution. This file is subject to change, for detailed information, please contact our Customer Service.

ETIM (EC000491-Earth terminal clamp)

Suitable for (EF000073)	Round conductor
Connection cross section (EF004331)	16-70 mm² mm²
Clamping range round conductor (EF004204)	12-12 mm mm
Clamp width flat conductor (EF004205)	Up to 40 mm
Material (EF002169)	Brass
Surface protection (EF000139)	Nickel-plated

Logistic

Pack 1 type	Each
Quantity pack 1	1
Weight pack 1	0.068 kg
Length pack 1	10 mm
Width pack 1	10 mm
Height pack 1	10 mm
Pack 2 type	Carton
Quantity pack 2	10
Weight pack 2	0.772 kg
Length pack 2	185 mm
Width pack 2	135 mm
Height pack 2	130 mm
Pack 3 type	Carton
Quantity pack 3	80
Weight pack 3	6.663 kg
Length pack 3	400 mm
Width pack 3	300 mm
Height pack 3	150 mm
Pack 4 type	Pallet
Quantity pack 4	2560
Weight pack 4	201.664 kg
Length pack 4	1200 mm
Width pack 4	800 mm
Height pack 4	800 mm
Customs code	85369010
Net weight	0.07 kg
Country of origin	NL

Certification

ETIM class	EC000491

Status product

Product status	Commercialized

This information is meant as an indication and cannot be used to ensure fitness with any solution. This file is subject to change, for detailed information, please contact our Customer Service.

Environmental

GWP Total A1-A3	0.14105 kgCO2e

For the latest information check https://wibe-group.com/cable-support-systems/mesh-trays/accessories/earthing-clamp-ez

This information is meant as an indication and cannot be used to ensure fitness with any solution. This file is subject to change, for detailed information, please contact our Customer Service.