


# Cable ladder KHZPV-1000 6m HDG

Reference 716400



Activity	Cable support systems
Product family	Cable ladders
Brand	Wibe
Range	KHZPV

## Status product

Product status	Commercialized
----------------	----------------

## Commercial and Web

Short description	Cable ladder KHZPV-1000 6m HDG
Medium description	Wibe - reinforced cable ladder - KHZPV-1000 - with closed side profiles and perforated rungs - 6 m - steel hot-dip galvanized
Length	6000 mm
Width	1000 mm
Height	150 mm
Material	Steel
Material type or surface treatment	Hot-dip galvanized
Environmental corrosion class	C4

## Base

Activity	Cable support systems
Product family	Cable ladders
Brand	Wibe
Range	KHZPV
GTIN	7321677164004

## ETIM (EC000854-Cable ladder/wide span cable ladder)

Type of side joist (EF007666)	Tube shape (closed)
Side wall perforation (EF001122)	No
Type of rung (EF001060)	Perforated profile
Fixation rung (EF008307)	Welded
Height (EF000040)	134 mm
Width (EF000008)	1000 mm
Length (EF001438)	6000 mm
Useful cross section (EF005140)	80000 mm <sup>2</sup>
Rung centre spacing (EF008185)	250 mm
Wide span model (EF006397)	Yes
Suitable for circuit integrity (EF007806)	No
Material (EF002169)	Steel
Material quality (EF001257)	Other
Surface protection (EF000139)	Hot-dip galvanized
Colour (EF000007)	*
RAL (EF000116)	*
Max. safe working load according to IEC 61537 (EF016305)	* N/m
Span between supports according to IEC 61537 (EF015363)	* mm
Load test type according to IEC 61537 (EF015362)	Type II
Weight (EF000167)	7.03 kg/m

## Logistic

Pack 1 type	Each
Quantity pack 1	1
Weight pack 1	42.2 kg
Length pack 1	6100 mm
Width pack 1	997 mm
Height pack 1	150 mm
Pack 4 type	Pallet
Quantity pack 4	10
Weight pack 4	422 kg
Length pack 4	6100 mm
Width pack 4	1060 mm
Height pack 4	790 mm
Customs code	73089059
Net weight	42.2 kg
Country of origin	SE

## Certification

ETIM class	EC000854
------------	----------

Environmental

GWP Total A1-A3	117.738 kgCO2e
-----------------	----------------

---

Product downloads

---