


Cable ladder KHZP-400 6m HDG

Reference 718565



Activity	Cable support systems
Product family	Cable ladders
Brand	Wibe
Range	KHZP

Commercial and Web

Short description	Cable ladder KHZP-400 6m HDG
Medium description	Wibe - cable ladder - KHZP-400 - closed side profiles and perforated rungs - 6 m - steel hot-dip galvanized
Length	6000
Width	400
Height	55
Material	Steel
Material type or surface treatment	Hot-dip galvanized
Corrosion class	C4

Base

Activity	Cable support systems
Product family	Cable ladders
Brand	Wibe
Range	KHZP
GTIN	7321677185658

ETIM (EC000854-Cable ladder/wide span cable ladder)

Type of side joist (EF007666)	Tube shape (closed)
Side wall perforation (EF001122)	No
Type of rung (EF001060)	Perforated profile
Fixation rung (EF008307)	Welded
Height (EF000040)	55 mm

Width (EF000008)	400 mm
Length (EF001438)	6000 mm
Useful cross section (EF005140)	12120000 mm ²
Rung centre spacing (EF008185)	250 mm
Wide span model (EF006397)	No
Suitable for circuit integrity (EF007806)	No
Material (EF002169)	Steel
Material quality (EF001257)	*
Surface protection (EF000139)	Hot-dip galvanized
Colour (EF000007)	*
RAL (EF000116)	*
Max. safe working load according to IEC 61537 (EF016305)	* N/m
Span between supports according to IEC 61537 (EF015363)	* mm
Load test type according to IEC 61537 (EF015362)	*
Weight (EF000167)	3.2 kg/m

Logistic

Pack 1 type	Each
Quantity pack 1	1
Weight pack 1	18.9
Length pack 1	6000 mm
Width pack 1	397
Height pack 1	55
GTIN pack 1	7321677185658
Pack 4 type	Pallet
Quantity pack 4	30
Weight pack 4	567
Length pack 4	6000
Width pack 4	840
Height pack 4	580
Customs code	73089059
Country of origin	SE

Certification

ETIM class	EC000854
------------	----------

Status product

Product status	Commercialized
----------------	----------------

Environmental

GWP Total A1-A3	52.731 kgCO ₂ e
-----------------	----------------------------

Product downloads

For the latest information check <http://wibe-group.com/cable-support-systems/cable-ladders/length-material/cable-ladder-khzp-400-6m-hdg>

This information is meant as an indication and cannot be used to ensure fitness with any solution. This file is subject to change, for detailed information, please contact our Customer Service.