


Cable ladder KHZP-500 6m HDG

Reference 718566



Activity
Product family
Brand
Range

Cable support systems
Cable ladders
Wibe
KHZP

Status product

Product status Commercialized

Commercial and Web

Short description	Cable ladder KHZP-500 6m HDG
Medium description	Wibe - cable ladder - KHZP-500 - closed side profiles and perforated rungs - 6 m - steel hot-dip galvanized
Length	6000 mm
Width	500 mm
Height	55 mm
Material	Steel
Material type or surface treatment	Hot-dip galvanized
Environmental corrosion class	C4

Base

Activity	Cable support systems
Product family	Cable ladders
Brand	Wibe
Range	KHZP
GTIN	7321677185665

ETIM (EC000854-Cable ladder/wide span cable ladder)

Type of side joist (EF007666)	Tube shape (closed)
Side wall perforation (EF001122)	No
Type of rung (EF001060)	Perforated profile
Fixation rung (EF008307)	Welded
Height (EF000040)	55 mm
Width (EF000008)	500 mm
Length (EF001438)	6000 mm
Useful cross section (EF005140)	40000 mm ²
Rung centre spacing (EF008185)	250 mm
Wide span model (EF006397)	No
Suitable for circuit integrity (EF007806)	Yes
Material (EF002169)	Steel
Material quality (EF001257)	Other
Surface protection (EF000139)	Hot-dip galvanized
Colour (EF000007)	*
RAL (EF000116)	*
Max. safe working load according to IEC 61537 (EF016305)	* N/m
Span between supports according to IEC 61537 (EF015363)	* mm
Load test type according to IEC 61537 (EF015362)	Type II
Weight (EF000167)	3.4 kg/m

Logistic

Pack 1 type	Each
Quantity pack 1	1
Weight pack 1	20.4 kg
Length pack 1	6000 mm
Width pack 1	497 mm
Height pack 1	55 mm
GTIN pack 1	7321677185665
Pack 4 type	Pallet
Quantity pack 4	15
Weight pack 4	306 kg
Length pack 4	6000 mm
Width pack 4	540 mm
Height pack 4	580 mm
Customs code	73089059
Net weight	20.4 kg
Country of origin	SE

Certification

ETIM class	EC000854
------------	----------

Environmental

GWP Total A1-A3

56.916 kgCO2e

Product downloads

For the latest information check <http://wibe-group.com/cable-support-systems/cable-ladders/length-material/cable-ladder-khzp-500-6m-hdg>

This information is meant as an indication and cannot be used to ensure fitness with any solution. This file is subject to change, for detailed information, please contact our Customer Service.