


Cable ladder KHZPS-600 6m PG

Reference 725355



Activity	Cable support systems
Product family	Cable ladders
Brand	Wibe
Range	KHZPS

Commercial and Web

Short description	Cable ladder KHZPS-600 6m PG
Medium description	Wibe - cable ladder - KHZPS-600 - closed side profiles and perforated rungs - 6 m -steel pre-galvanized
Length	6000
Width	600
Height	55
Material	Steel
Material type or surface treatment	Pre-galvanized
Corrosion class	C2

Base

Activity	Cable support systems
Product family	Cable ladders
Brand	Wibe
Range	KHZPS
GTIN	7321677253555

ETIM (EC000854-Cable ladder/wide span cable ladder)

Type of side joist (EF007666)	Tube shape (closed)
Side wall perforation (EF001122)	No
Type of rung (EF001060)	Perforated profile
Fixation rung (EF008307)	Welded

Height (EF000040)	55 mm
Width (EF000008)	600 mm
Length (EF001438)	6000 mm
Useful cross section (EF005140)	67320000 mm ²
Rung centre spacing (EF008185)	250 mm
Wide span model (EF006397)	No
Suitable for circuit integrity (EF007806)	No
Material (EF002169)	Steel
Material quality (EF001257)	*
Surface protection (EF000139)	Continuously galvanized
Colour (EF000007)	*
RAL (EF000116)	*
Max. safe working load according to IEC 61537 (EF016305)	* N/m
Span between supports according to IEC 61537 (EF015363)	* mm
Load test type according to IEC 61537 (EF015362)	*
Weight (EF000167)	3.15 kg/m

Logistic

Pack 1 type	Each
Quantity pack 1	1
Weight pack 1	18.9
Length pack 1	6000 mm
Width pack 1	597
Height pack 1	55
GTIN pack 1	7321677253555
Pack 4 type	Pallet
Quantity pack 4	15
Weight pack 4	284
Length pack 4	6000
Width pack 4	640
Height pack 4	580
Customs code	73089059
Country of origin	SE

Certification

ETIM class	EC000854
------------	----------

Status product

Product status	Commercialized
----------------	----------------

Environmental

GWP Total A1-A3	53.676 kgCO ₂ e
-----------------	----------------------------

Product downloads

For the latest information check <http://wibe-group.com/cable-support-systems/cable-ladders/length-material/cable-ladder-khzps-600-6m-pre-galv>