

Install. tray perf W4-300 1.96m HDG

Reference 736619



Activity	Cable support systems
Product family	Cable trays
Brand	Wibe
Range	W4

Base

Activity	Cable support systems
Product family	Cable trays
Brand	Wibe
Range	W4
GTIN	7321677366194

Commercial and Web

Short description	Install. tray perf W4-300 2m HDG
Medium description	Wibe - installation tray W4-300 - perforated - 2 m - steel hot-dip galvanized
Length	1960 mm
Width	300 mm
Height	15 mm
Material	Steel
Material type or surface treatment	Hot-dip galvanized
Corrosion class	C4

ETIM (EC000047-Cable tray/wide span cable tray)

Height (EF000040)	15 mm
Width (EF000008)	300 mm
Material thickness (EF000386)	1.25 mm
Length (EF001438)	1960 mm
Useful cross section (EF005140)	750 mm ²
With cover (EF007965)	No
Side wall perforation (EF001122)	No
Mounting perforation in bottom	Yes

(EF004545)	
NATO (EF006059)	Yes
Model (EF000010)	Without connector
Wide span model (EF006397)	No
Suitable for circuit integrity (EF007806)	No
Material (EF002169)	Steel
Stainless steel, pickled (EF006388)	No
Material quality (EF001257)	*
Surface protection (EF000139)	Hot-dip galvanized
Colour (EF000007)	*
RAL (EF000116)	*
Weight (EF000167)	2.4 kg/m
Max. safe working load according to IEC 61537 (EF016305)	* N
Span between supports according to IEC 61537 (EF015363)	* mm
Load test type according to IEC 61537 (EF015362)	*

Logistic

Pack 1 type	Each
Quantity pack 1	1
Weight pack 1	5.1 kg
Length pack 1	1960 mm
Width pack 1	300 mm
Height pack 1	15 mm
Pack 4 type	Pallet
Quantity pack 4	52
Weight pack 4	288 kg
Length pack 4	1960 mm
Width pack 4	800 mm
Height pack 4	390 mm
Customs code	73089059
Net weight	5.1 kg
Country of origin	SE

Certification

ETIM class	EC000047
------------	----------

Status product

Product status	Withdrawn
Replacing product	CSU796004

Environmental

GWP Total A1-A3	14.229 kgCO2e
-----------------	---------------

For the latest information check <http://wibe-group.com/cable-support-systems/cable-trays/length-material/installation-tray-w4-300-l-1-96m-hdg>

This information is meant as an indication and cannot be used to ensure fitness with any solution. This file is subject to change, for detailed information, please contact our Customer Service.