

Cable ladder KHZP-200 3m HDG

Reference 783517



Activity
Product family
Brand
Range

Cable support systems
Cable ladders
Wibe
KHZP

Commercial and Web

Short description	Cable ladder KHZP-200 3m HDG
Medium description	Wibe - cable ladder - KHZP-200 - closed side profiles and perforated rungs - 3 m - steel hot-dip galvanized
Length	3000
Width	200
Height	55
Material	Steel
Material type or surface treatment	Hot-dip galvanized
Corrosion class	C4

Base

Activity	Cable support systems
Product family	Cable ladders
Brand	Wibe
Range	KHZP
GTIN	7321677835171

ETIM (EC000854-Cable ladder/wide span cable ladder)

Type of side joist (EF007666)	Tube shape (closed)
Side wall perforation (EF001122)	No
Type of rung (EF001060)	Perforated profile
Fixation rung (EF008307)	Welded
Height (EF000040)	55 mm
Width (EF000008)	200 mm

Length (EF001438)	3000 mm
Useful cross section (EF005140)	19320000 mm ²
Rung centre spacing (EF008185)	250 mm
Wide span model (EF006397)	No
Suitable for circuit integrity (EF007806)	No
Material (EF002169)	Steel
Material quality (EF001257)	*
Surface protection (EF000139)	Hot-dip galvanized
Colour (EF000007)	*
RAL (EF000116)	*
Max. safe working load according to IEC 61537 (EF016305)	* N/m
Span between supports according to IEC 61537 (EF015363)	* mm
Load test type according to IEC 61537 (EF015362)	*
Weight (EF000167)	2.7 kg/m

Logistic

Pack 1 type	Each
Quantity pack 1	1
Weight pack 1	7.2
Length pack 1	3000 mm
Width pack 1	200
Height pack 1	55
GTIN pack 1	7321677835171
Pack 4 type	Pallet
Quantity pack 4	30
Weight pack 4	216
Length pack 4	3000
Width pack 4	440
Height pack 4	580
Customs code	73089059
Country of origin	SE

Certification

ETIM class	EC000854
------------	----------

Status product

Product status	Commercialized
----------------	----------------

Environmental

GWP Total A1-A3	20.088 kgCO ₂ e
-----------------	----------------------------

Product downloads

For the latest information check <http://wibe-group.com/cable-support-systems/cable-ladders/length-material/cable-ladder-khzp-200-3m>