Bolt M6x16 PG

Reference CSU08463000



Activity	Cable support systems
Product family	Common accessories
Brand	Stago
Range	Accessories

Base

Activity	Cable support systems
Product family	Common accessories
Brand	Stago
Range	Accessories
GTIN	8712186108464

Commercial and Web

Short description	Bolt M6x16 PG
Medium description	Stago - screw - M6x16 - steel - electro-galvanized
Material	Steel
Material type or surface treatment	Pre-galvanized
Corrosion class	C2

ETIM (EC003861-Bolt)

Material (EF002169)	*
Material quality (EF001257)	*
Surface protection (EF000139)	*

This information is meant as an indication and cannot be used to ensure fitness with any solution. This file is subject to change, for detailed information, please contact our Customer Service.

Head form (EF000012)	*
Countersunk head (EF013941)	*
Dimension square neck bolt (EF015588)	* mm
Thread size (metric) (EF003563)	*
Thread size (imperial) (EF003715)	*
Length to bottom side head (EF013623)	* mm
Thread length (EF000368)	* mm
Full thread (EF009106)	*
Screwing system (EF000013)	*
Wrench width (EF000177)	* mm
Pitch thread (EF003712)	* mm
Thread per inch (EF012132)	*
Thread type (EF001758)	*
Left (EF022707)	*
Head diameter (EF001001)	* mm
Head height (EF025409)	* mm
With flange (EF005729)	*
With nut (EF005059)	*
With washer (EF005076)	*
Self (EF006319)	*
RAL (EF000116)	*
Colour (EF000007)	*

Logistic

Pack 1 type	Bag
Quantity pack 1	100
Weight pack 1	0.487 kg
Length pack 1	130 mm
Width pack 1	130 mm
Height pack 1	20 mm
Customs code	73181558
Country of origin	NL

Certification

ETIM class	EC003861

Status product

Product status	Commercialized

Environmental

GWP Total A1-A3	0.010633 kgCO2e

This information is meant as an indication and cannot be used to ensure fitness with any solution. This file is subject to change, for detailed information, please contact our Customer Service.

For the latest information check https://wibe-group.com/cable-support-systems/cable-trays/accessories/bolt-m6x16-pg

This information is meant as an indication and cannot be used to ensure fitness with any solution. This file is subject to change, for detailed information, please contact our Customer Service.