



CLX³ SUPPORT SYSTEM FOR FAST INSTALLATION

Smart. Lean. Easy.




CLX³ Revolutionary bolt-free support system


More than 90 years of experience in cable management, high quality and high performance. Now we are introducing a new revolutionary easy and innovative system for super fast installation without bolts, optimized for commercial buildings and offices. Suitable for support distances up to 4 meters. The system meets Wibe Group's high demands on quality and durability.




The cantilever arm is clicked into the pendant or into the rail.



The Wibe KHZSP cable ladder is clicked onto the cantilever arm for a secure installation.



The CLX³ cantilever fits both Wibe cable ladders, Wibe and Stago cable trays, and Defem and Performa mesh trays.



Central suspension bracket for Defem mesh tray for central suspension.



The mesh tray clicks into place for a secure installation.



Central suspension bracket for Wibe KHZSP cable ladder.



Central suspension bracket for Wibe cable tray (40 mm high) for central suspension.



Simply click the central suspension bracket combined with an adaptor to the vertical rail.


Five times as fast. Next-generation simplicity.

A CLX³ installation is mounted up to 5 times faster than with a traditional installation with bolts and nuts. Experienced installers have had the opportunity to test the new click-to-install system as well as traditional bolt mounting and the result shows a significant time saving.

Developed to set the new standard in efficiency

CLX³ is developed from advanced engineering knowledge, leading-edge research and profound on-site experience. Based on well documented lean manufacturing principles, the concept behind CLX³ is to simplify the installations and reduce failure costs by helping to prevent installation errors. In this way the system enhances efficient, intelligent working methods and processes.

CLX³ Cantilever arm



Description	Dimensions	Weight kg/100 pcs	Pre-galv (PG) C2 Ref.no.	EAN code
Cantilever arm to be used for mounting on vertical pieces or pendant/fixing rails. The CLX ³ Cantilever Arm is designed for fast click-installation of Wibe KHZSP cable ladder, Defem mesh tray height 60/110 and Stago tray KG281/KB184/KB284 height 60. Material: Steel, pre-galvanized. Use the Fast fixing clamp (CSU08490100) when fastening the Stago tray KG281/KB184/KB284 height 60 to the CLX ³ Cantilever arm. Material Fast fixing clamp: Stainless steel.				
CLX ³ 100	62/49/170	28	CSU795645	3606489905002
CLX ³ 150	62/49/220	36	CSU795646	3606489905019
CLX ³ 200	62/49/280	43	CSU795647	3606489905026
CLX ³ 300	62/49/380	61	CSU795648	3606489905033
CLX ³ 400	92/49/480	91	CSU795649	3606489905040
CLX ³ 500	92/49/580	107	CSU795650	3606489905057
CLX ³ 600	92/49/680	120	CSU795651	3606489905064
Fast fixing clamp 60 SS (25 pcs)	90/63/5	0.2	CSU08490100 *	8712186028939

*) Material Fast fixing clamp: Stainless steel AISI 304

CLX³ Central suspension bracket

Used for central suspension of Wibe KHZSP cable ladder, Defem or Performa mesh tray and Stago or Wibe cable trays on pendants and rails. The adapter is used for all brackets except for Defem 120-220, and Trays 70 and 100. Material: Pre-galvanized steel.

CLX ³ CS bracket for KHZSP-200 *	37/78/185	33	CSU795655	3606489905101
CLX ³ CS bracket for KHZSP-300 *	37/78/285	53	CSU795656	3606489905118
CLX ³ CS bracket for KHZSP-400 *	37/78/385	72	CSU795657	3606489905125
CLX ³ CS bracket for KHZSP-500 *	37/78/485	90	CSU795658	3606489905132
CLX ³ CS bracket for KHZSP-600 *	37/78/585	109	CSU795659	3606489905149
CLX ³ CS bracket Defem 120-220	163/31/84	19.5	CSU795665	3606489905200
CLX ³ CS bracket Defem 320 *	25/50/206	31.3	CSU795666	3606489905217
CLX ³ CS bracket Defem 522-622 *	25/50/497	62.7	CSU795667	3606489905224
CLX ³ CS bracket for Defem 422 *	25/50/397	78.2	CSU795668	3606489905231
CLX ³ CS bracket for Tray 70/40	152/37/66	17	CSU795653	3606489905088
CLX ³ CS bracket for Tray 100/40	152/37/96	18	CSU795654	3606489905095
CLX ³ CS bracket for Tray 200/40 *	36/76/196	27	CSU795660	3606489905156
CLX ³ CS bracket for Tray 300/40 *	36/76/296	46	CSU795661	3606489905163
CLX ³ CS bracket for Tray 400/40 *	36/76/396	65	CSU795662	3606489905170
CLX ³ CS bracket for Tray 500/40 *	36/76/496	85	CSU795663	3606489905187
CLX ³ CS bracket for Tray 600/40 *	36/76/596	104	CSU795664	3606489905194
CLX ³ CS adapter	166/31/39	18	CSU795700	3606489905248

*) Mounted with CLX³ Adapter (CSU795700)

CLX³ Pendant

For ceiling suspended mounting of CLX³ Cantilever arm or CLX³ Central suspension bracket. Material: Pre-galvanized steel.

CLX ³ 24/48-300	295/145/53	91	CSU795632	3606489904937
CLX ³ 24/48-400	395/145/53	107	CSU795633	3606489904944
CLX ³ 24/48-500	495/145/53	124	CSU795634	3606489904951
CLX ³ 24/48-700	695/145/53	158	CSU795635	3606489904968
CLX ³ 24/48-1000	995/145/53	209	CSU795636	3606489904975
CLX ³ 24/48-1500	1495/145/53	294	CSU795638	3606481828323

CLX³ Rail

For mounting brackets, cantilever arms, ceiling plates, etc. Used together with Pendant joint 2FJ for jointing ceiling pendants. Material: Pre-galvanized steel.

CLX ³ 24/48-300	280/26/48	47	CSU795640	3606481828330
CLX ³ 24/48-1000	980/26/48	165	CSU795641	3606481828347
CLX ³ 24/48-3000	2980/26/48	520	CSU795637	3606489904982

CLX³ Adjustable ceiling plate

Used together with CLX³ Pendant for angled ceiling installations up to 25 degrees roof slope. Use 4 Screw set 22S (reference no. 713694, to be ordered separately). Material: Pre-galvanized steel.

CLX ³ Adjustable ceiling plate	100/59/150	50	CSU795639	3606489904999
---	------------	----	-----------	---------------

CLX³ Wall bracket

Used for mounting the CLX³ Cantilever Arm directly to the wall. Use either one screw in the keyhole or several screws in the holes on the sides to fasten it to the wall. Screws are not included. Material: Pre-galvanized steel.

CLX ³ Wall bracket	163/101/26	34	CSU795804	7321677958047
-------------------------------	------------	----	-----------	---------------

